

Trinidad and Tobago

2010 total population: 1 341 465

Income group: High

NCD mortality

2008 estimates	males	females
Total NCD deaths (000s)	4.1	3.7
NCD deaths under age 60 (percent of all NCD deaths)	31.1	26.7
<i>Age-standardized death rate per 100 000</i>		
All NCDs	895.6	505.7
Cancers	157.5	89.2
Chronic respiratory diseases	37.1	12.2
Cardiovascular diseases and diabetes	545.3	316.4


Behavioural risk factors

2008 estimated prevalence (%)	males	females	total
Current daily tobacco smoking	19.0	7.7	13.1
Physical inactivity

Metabolic risk factors





2008 estimated prevalence (%)	males	females	total
Raised blood pressure	41.7	36.3	38.9
Raised blood glucose
Overweight	58.1	69.1	63.8
Obesity	20.6	37.5	29.3
Raised cholesterol

Proportional mortality (% of total deaths, all ages)



NCDs are estimated to account for 78% of all deaths.

Metabolic risk factor trends



Country capacity to address and respond to NCDs

Has a Unit / Branch / Dept in MOH with responsibility for NCDs	Yes	<i>Has an integrated or topic-specific policy / programme / action plan which is currently operational for:</i>	
<i>There is funding available for:</i>		Cardiovascular diseases	No
NCD treatment and control	Yes	Cancer	No
NCD prevention and health promotion	Yes	Chronic respiratory diseases	No
NCD surveillance, monitoring and evaluation	Yes	Diabetes	No
<i>National health reporting system includes:</i>		Alcohol	No
NCD cause-specific mortality	Yes	Unhealthy diet / Overweight / Obesity	No
NCD morbidity	Yes	Physical inactivity	No
NCD risk factors	Yes	Tobacco	Yes
Has a national, population-based cancer registry	Yes	Number of tobacco (m)POWER measures implemented at the highest level of achievement	1/5

... = no data available